

UGOVOR

za nabavku UPS-ova

Zaključen u Sarajevu dana 16.03.2018. godine između:

KJKP "Toplane-Sarajevo" d.o.o.

sa sjedištem u Sarajevu, ul. Semira Frašte br.22,
koga zastupa direktor Admir Džubur (u daljem tekstu: **Kupac**),
Transakcijski broj: 338-900-22082827-07 (UniCredit Bank d.d. Sarajevo),
PDV broj: 200353740001

i

«KODEKS » d.o.o.

sa sjedištem u Sarajevu, ul Antuna Hangija br.17.
koga zastupa direktor Muris Čeljo (u daljem tekstu: **Prodavac**),
Transakcijski broj: 154-160-200-365-0757 (IntesaSanPaolo banka d.d. Sarajevo),
PDV broj: 227430230009

PREDMET UGOVORA

Član 1.

Predmet ugovora je nabavka UPS-ova za potrebe Kupca, po provedenom postupku nabavke - direktni sporazum broj: DS 47/18, a u skladu sa ponudom zaprimljenom pod brojem 1033/18 od 13.03.2018. godine, koja čini sastavni dio ovog Ugovora.

CIJENA I USLOVI PLAĆANJA

Član 2.

Cijena ugovorene robe iz Člana 1. ovog Ugovora bez uračunatog PDV-a iznosi:

493,00 KM

(slovima: četiristotinedevedesetri i 00/100 KM)

Član 3.

Kupac se obavezuje da će izvršiti plaćanje ugovorene robe u roku od 30 dana od dana isporuke robe i prijema računa Prodavca.

Član 4.

Prodavac se obavezuje da za isporučenu robu ispostavi račun u skladu sa Zakonom o PDV-u.

USLOVI ISPORUKE

Član 5.

Prodavac se obavezuje da ugovorenu robu iz Člana 1. ovog Ugovora isporuči u roku od max. 30 dana od dana potpisivanja Ugovora.

Mjesto isporuke: KJKP „Toplane-Sarajevo“ d.o.o. Sarajevo, ulica Topal Osman Paše br.22a.

GARANCIJA

Član 6.

Garancija na kvalitet za isporučenu robu je 12 mjeseci od dana isporuke robe.

PRELAZNE I ZAVRŠNE ODREDBE

Član 7.

Za sva pitanja koja nisu regulisana ovim Ugovorom primjenjivat će se Zakon o obligacionim odnosima.

Član 8.

Ugovorne strane su saglasne da sve eventualne nesporzume po ovom ugovoru rješavaju prije svega sporazumno, u duhu dobrih poslovnih običaja, a u suprotnom nadležan je sud u Sarajevu.

Član 9.


Ugovor stupa na snagu danom potpisivanja.

Član 10.

Ugovor je sačinjen u 2 (dva) istovjetna primjerka od kojih svaka od ugovornih strana zadržava po 1 (jedan) primjerak.

Za Prodavca

« KODEKS » d.o.o.



Muris Čeljo

Broj: 03.18/037 /18

Za Kupca

KJKP „Toplane-Sarajevo“ d.o.o.



Admir Džubur

Broj: 03-08-04-1105-502/18

Edin
13-03-2018



KODEKS



ID Broj: 4227430230009 | PDV broj: 227430230009 | Broj rješenja: 065-0-Reg-17-000189 | MBS: 65-01-1036-12

Antuna Hangija 17 71000 Sarajevo

Telefon: +38733 714-000 Fax: +38733 714-002

Datum: 13.03.2018.

Broj protokola : 03.18/031

Primaoc: KJKP Toplane

Semira Frašte 22

Sarajevo, 71000

BiH

Broj nabavke: DS 47/18

KJKP "Toplane-Sarajevo"



SARAJEVO

Broj: 1033/18

Datum: 13.03.2018

Ponuda za nabavku UPS-ova

Intesa SanPaolo Banka d.d. Sarajevo 1541602003650757


Sparkasse bank d.d. sarajevo 1990490006582661

Moja banka d.d. Sarajevo 1370426000903119

KODEKS D.O.O, Antuna Hangija 17 71000 Sarajevo

T: +387 33 714 000 | F: +387 33 714 002

E: prodaja@kodeks.ba | www.kodeks.ba






OBRAZAC ZA DOSTAVLJANJE PONUDE

Naziv i broj nabavke: Nabavka UPS-ova - DS 47/18

UGOVORNI ORGAN:

Naziv ugovornog organa	KJKP "Toplane-Sarajevo" d.o.o. Sarajevo
Adresa	Semira Frašte br.22
PDV broj	4200353740001

DOSTAVIO:

Naziv dobavljača	Kodets doo
Adresa	Antena Haulgić 17
PDV broj	227430230009
Transakcijski račun i naziv banke	Intesa San Paolo banka 1591602003650777
Telefon/fax/e-mail	+387 33 714-000 +387 33 714-002
Odgovorno lice	Muris Čeljo
Potpis	

KONTAKT LICE (za ovu ponudu)

Ime i prezime	Muris Čeljo
Adresa	Antena Haulgić 17
Telefon	+387 33 714-000
Faks	+387 33 714-002
E-mail	muris@kodets.ba

Mjesto: Sarajevo
Datum: 13.03.2018.



Strana 4/5

2.



OBRAZAC ZA CIJENU PONUDE

Naziv ponuđača Kodets d.o.oPonuda br. 131/18

R. br.	Opis roba	J.mj.	Količina	Jedinična cijena po stavki bez PDV-a	Ukupna cijena po stavki bez PDV-a
1.	Nabavka UPS 1000VA/600W line interactive u skladu sa tehničkom specifikacijom	kom	1	172,63	172,63
2.	Nabavka UPS 2000VA/1200W line interactive u skladu sa tehničkom specifikacijom	kom	1	321,00	321,00
Ukupna cijena bez PDV-a					493,63
Popust ____%					/
Ukupna cijena sa popustom bez PDV-a					493,63

Rok isporuke: max. 30 dana od dana potpisivanja ugovora.

Mjesto isporuke: KJKP "Toplane-Sarajevo" d.o.o. Sarajevo, ulica Topal Osman Paše br.22a.

Garantni rok: Garancija na kvalitet za isporučenu robu je 12 mjeseci od dana isporuke robe.

Uslovi plaćanja: 30 dana od dana prijema računa.

Opcija ponude: 30 dana od dana dostavljanja ponude.

Napomena:

1. Cijene moraju biti izražene u KM. Za svaku stavku u ponudi mora se navesti cijena.
2. Cijena ponude se iskazuje bez PDV-a i sadrži sve naknade koji ugovorni organ treba platiti ponuđaču. Ugovorni organ ne smije imati nikakve dodatne troškove osim onih koji su navedeni u ovom obrascu.
3. U slučaju razlika između jediničnih cijena i ukupnog iznosa, ispravka će se izvršiti u skladu sa jediničnim cijenama.
4. Jedinična cijena stavke se ne smatra računskom greškom, odnosno ne može se ispravljati.

Mjesto: SarajevoDatum: 13.03.2018

3.



ID broj: 4227430230009 | PDV broj: 227430230009 | Broj rješenja: 065-D-Reg-17-000189 | MBS: 65-01-1036-12
 Antuna Hančija 17 71000 Sarajevo
 Telefon: +38733 714-000 Fax: +38733 714-002

Sparkasse Bank d.d. 1990490006582661
 Intesa SanPaolo Banka d.d. 1541602003650757

Mjesto izdavanja: BiH, Sarajevo



Kupac: Toplane Sarajevo
 Adresa: Semira Frašte br. 22
 Tel/Fax: _____
 Kontakt osoba: _____
 ID broj: _____
 PDV broj: _____
 Porezni broj: _____
 Banka: _____
 TRN: _____
 R. Suda: _____
 Rgb: _____

Datum izdavanja: 13.03.2018.
 Djelovodni broj:

Ponuda - Predračun: 131/18

Redni broj	Opis robe/usluge	Kol.	Cijena/KM	Jedinična cijena sa PDV 17%	Cijena sa PDV 17% KM	Ukupna vrijednost sa PDV-a	Ukupna vrijednost PDV-a	Ukupna vrijednost sa PDV-om
1	UPS Digitus 1000VA-600W Line Interactive DN-170024-1	1	172,63	29,35	201,98	172,63	29,35	201,98
2	UPS Digitus 2000VA-1200W Line Interactive LCD DN-170026	1	321,00	54,57	375,57	321,00	54,57	375,57

Opcija ponude 30 dana od dana podnošenja iste.

Osnovica za PDV KM: 493,63
 Iznos PDV 17% KM: 83,92
 UKUPNO za platiti KM: 577,55

Plaćanje: 30 dana od dana prijema računa.
 Isporuka: Max 30 dana od dana potpisivanja ugovora.
 Cijene su prodajne, sa uračunatim PDV-om.

Poreska osnovica prometa dobara i usluga jeste oporezivi iznos naknade (u novcu, stvarima ili uslugama) koju obaveznik primi ili treba da primi za isporučena dobra ili pružene usluge, uključujući subvencije koje su neposredno povezane sa cijenom tih dobara ili usluga, u koju nije uključen PDV, ako ovim Zakonom nije drugačije propisano. ("Sl. Glasnik BiH br. 9/05"-Član 20.)

Standardna stopa PDV-a na oporezivi promet dobara i usluga i uvoz dobara u BiH iznosi: 17% ("Sl. Glasnik BiH br. 9/05"-Član 23.)

Garantni rok: U skladu sa garantnim uslovima


OVAJ DOKUMENAT OBAVEZNO SAČUVATI !!!

Fakturisao:



4.

USV 1000VA/600W Line Interact.



Item no.	DN-170024-1
Description	USV 1000VA/600W Line Interact
Description 2	LCD Display
Manufacturer	DIGITUS-PROFESSIONAL
Manufacturer website	www.digitus-professional.de
days warranty	24 M
EAN-Code	4016032345107
Gross weight	8,9 kg
Package / Pallet	1 pieces
Standard Lead Time	2 KW

Description

DIGITUS Line-Interactive UPS, 1000VA/600W, 12V/7Ah X2 battery, 4x Schuko, AVR, USB, RS232, RJ-11/45, LCD-Display

The DIGITUS® OnLine UPS come with a compact size and an excellent microprocessor control, which guarantees high reliability. With an user friendly operation they provide high performance protection for your business and office computer systems against data loss and damage. Features like overload-, discharge- and overcharge protection, cold start functions and energy saving features, as well as an acoustic alarm system are just a few advantages of the DIGITUS® OnLine UPS units. Optional available is a SNMP adapter which allows remote access to the UPS unit. You can download the management software under following link: www.power-software-download.com/viewpower.html


Technical Details:

- Capacity: 1000 VA/600 W
- Input voltage: 230 VAC
- Voltage range: 162-290 VAC
- Backup Time 10-12 mins
- Frequency range: 50 Hz (auto-sensing)
- Output voltage: 230 VAC ± 10%
- AC voltage regulation (battery mode): 10%
- Frequency range (battery mode): 50 Hz ± 1%
- Typical transfer time: 2-6 ms
- Waveform (battery mode): Simulated sine wave
- Battery: 12V/7Ah x2
- Typical recharge time: 4 hours to recover 90% of capacity
- With overload-, discharge-, and overcharge protection
- Boost and buck AVR for voltage stabilization
- Auto restart while AC is recovering
- Alarm sounds: Battery mode (sounding every 10 sec.), low battery (sounding every second), overload (sounding every 0.5 seconds), fault (continuously sounding)
- Dimensions (HxTxB): 205x397x146 mm
- Net weight: 8.0 kg
- Humidity: 0-90% RH @ 0 °C to +40 °C (non condensing)
- Noise level: Less than 40 dB
- Backup Time: 25min (Last: 25%), 7min 30sec. (Last 50%), 1min (Last 75%), 30sec (Last 100%)



J.

USV 2000VA/1200W Line Interact



Item no.	DN-170026-1
Description	USV 2000VA/1200W Line Interact
Description 2	LCD Display
Manufacturer	DIGITUS-PROFESSIONAL
Manufacturer website	www.digitus-professional.de
days warranty	24 M
EAN-Code	4016032363583
Gross weight	12,98 kg
Package / Pallet	1 pieces
Standard Lead Time	2 KW

Description

DIGITUS Line-Interactive UPS, 2000VA/1200W, 12V/9Ah X2 battery, 4x Schuko, AVR, USB, RS232, RJ-11/45, LCD-Display

The DIGITUS® OnLine UPS come with a compact size and an excellent microprocessor control, which guarantees high reliability. With an user friendly operation they provide high performance protection for your business and office computer systems against data loss and damage. Features like overload-, discharge- and overcharge protection, cold start functions and energy saving features, as well as an acoustic alarm system are just a few advantages of the DIGITUS® OnLine UPS units. Optional available is a SNMP adapter which allows remote access to the UPS unit. You can download the mangement software under following link: www.power-software-download.com/viewpower.html

Technical Details:

- Capacity: 2000 VA/1200 W
- Input voltage: 230 VAC
- Voltage range: 162-290 VAC
- Backup Time 10-12 mins
- Frequency range: 50 Hz (auto-sensing)
- Output voltage: 230 VAC ± 10%
- AC voltage regulation (battery mode): 10%
- Frequency range (battery mode): 50 Hz ± 1%
- Typical transfer time: 2-6 ms
- Waveform (battery mode): Simulated sine wave
- Battery: 12V/9Ah x 2
- Typical recharge time 4 hours to recover 90% of capacity
- With overload-, discharge-, and overcharge protection
- Boost and buck AVR for voltage stabilization
- Auto restart while AC is recovering
- Alarm sounds: Battery mode (sounding every 10 sec.), low battery (sounding every second), overload (sounding every 0.5seconds), fault (continously sounding)
- Dimensions (HxTxB): 205x397x146 mm
- Net weight: 11.5 kg
- Humidity 0-90% RH @ 0 °C to +40 °C (non condensing)
- Noise level: Less than 40 dB
- Backup Time: 15min (Last 25%), 5min (Last 50%), 2min (Last 75%), 1min (Last 100%)



6.